

Article Number: 590-01751

Description: Rite-On Self-Laminating Label Refill, .75" x .75" x 3.0", VL,

White, 90/roll

HellermannTyton

Base Data		
	Local Order Number	175REF
	Туре	175REF
	Color	White (WH)
	Features and Benefits	<ul> <li>Compact to easily fit in pants or shirt pockets.</li> <li>Dispenser can be reloaded over and over, making it cost effective to use.</li> <li>Dispenser edge allows easy removal of label liner.</li> <li>Dispenser protects labels from dirt and moisture before use, extending the life and quality of the labels.</li> </ul>
	Quantity Per	pack
	Product Description	HellermannTyton's Rite-On Markers are made from a flexible vinyl film and used to mark wire and cable. The self-laminating labels have a clear tail which seals the legend under clear vinyl, maintaining the quality of the labels. The Rite-On markers are packaged in a reusable dispenser made from high impact plastic which is resistant to oils and grease.
	Short Description	Rite-On Self-Laminating Label Refill, .75" x .75" x 3.0", VL, White, 90/roll
Product Dimensions		
	Fixation Method	Pasting / Stick
	Self adhesive (Yes/No)	Yes
	Variant	Roller form
	Width W (Imperial)	0.75"
	Width W (Metric)	19.05mm
	Height H (Imperial)	0.75"
	Height H (Metric)	19.05mm
	Height H2 (Imperial)	3.0"
	Height H2 (Metric)	76.20mm
	Bundle Diameter Min. (Imperial)	0.33"
	Bundle Diameter Min. (Metric)	8.32mm
	Bundle Diameter Max. (Imperial)	0.7"
	Bundle Diameter Max. (Metric)	17.78mm

generated on: 4/28/2017

## 590-01751



Outside Diameter Min. (Imperial)	0.33"
Outside Diameter Min. (Metric)	8.38mm
Outside Diameter Max. (Imperial)	0.7"
Outside Diameter Max. (Metric)	17.78mm
Material	Type 100, Vinyl (PVC), white (WH), self laminating
Material Shortcut	100
Adhesive	Acrylic
Adhesive Operating Temperature	-51°F to +200°F (-46°C to +93°C)
Minimum Application Temperature	from +50°F (from +10°C)
Operating Temperature	-51°F to +200°F (-46°C to +93°C)
ROHS Compliant	Yes
Package Quantity (Imperial)	90
Package Quantity (Metric)	90
Customs Number(Schedule B)	3919102055
	Outside Diameter Min. (Metric) Outside Diameter Max. (Imperial) Outside Diameter Max. (Metric)  Material Material Shortcut Adhesive Adhesive Operating Temperature Minimum Application Temperature Operating Temperature ROHS Compliant  Package Quantity (Imperial) Package Quantity (Metric)

generated on: 4/28/2017